

Product datasheet

Specifications



21W Type A + Type C, PD+QC3.0 USB Charger, Grey Silver

E3032ACQUSB_GS

! Discontinued on: 30 June 2023

! Discontinued

Main

Range	Neo
Device application	Charger
Product or component type	USB charger
Fixing mode	Screw

Complementary

Device mounting	Flush
Device presentation	Mechanism
Colour tint	Grey silver
Surface finish	Glossy and matt
Surface treatment	Untreated
Number of modules	1 module 54.8 x 51.5 x 38.7 mm
Condition of use	Room temperature
Ambient air temperature for storage	-5...60 °C
Relative humidity	0...90 %
[Ue] rated operational voltage	100/240 V 50/60 Hz
Power consumption in W	21 W
Integrated connection type	2 USB port 5 V, maximum load current: 3 A USB port 9 V USB port 12 V USB port 5 V
Material	PC (polycarbonate): grid plate PC (polycarbonate): surround PC (polycarbonate): housing PC (polycarbonate): cover
Shape of screw head	Cross
Number of terminals	2
Clamping connection capacity	2.5 mm ² for stranded cable(s) 2.5 mm ² for solid cable(s) 1.5 mm ² for stranded cable(s) 1.5 mm ² for solid cable(s)
Wire stripping length	8 mm
Product compatibility	HTC

XiaoMi
Apple
Samsung
HW
Major smart phone and tablet

Standards	MS IEC 60950-1 IEC 60950-1 IEC 62368-1 IEC 61558-2-16
------------------	--

Height	87 mm
---------------	-------

Width	87 mm
--------------	-------

Depth	38.5 mm
--------------	---------

Embedding depth	30.3 mm
------------------------	---------

Product weight	0.1127 kg
-----------------------	-----------

Environment

IP degree of protection	IP20
--------------------------------	------

Environmental characteristic	Liquid soap Alcohol Petrol
-------------------------------------	----------------------------------

Packing Units

Unit Type of Package 1	PCE
-------------------------------	-----

Number of Units in Package 1	1
-------------------------------------	---

Package 1 Height	4 cm
-------------------------	------

Package 1 Width	8.7 cm
------------------------	--------

Package 1 Length	8.7 cm
-------------------------	--------

Package 1 Weight	118 g
-------------------------	-------

Unit Type of Package 2	CAR
-------------------------------	-----

Number of Units in Package 2	8
-------------------------------------	---

Package 2 Height	9.5 cm
-------------------------	--------

Package 2 Width	15 cm
------------------------	-------

Package 2 Length	19 cm
-------------------------	-------

Package 2 Weight	944 g
-------------------------	-------

Unit Type of Package 3	PAL
-------------------------------	-----

Number of Units in Package 3	1600
-------------------------------------	------

Package 3 Height	110 cm
-------------------------	--------

Package 3 Width	80 cm
------------------------	-------

Package 3 Length	120 cm
-------------------------	--------

Package 3 Weight	210.8 kg
-------------------------	----------

Offer Sustainability

REACH Regulation	REACH Declaration
-------------------------	-----------------------------------

REACH free of SVHC	Yes
---------------------------	-----

EU RoHS Directive	Compliant EU RoHS Declaration
--------------------------	--

Toxic heavy metal free	Yes
-------------------------------	-----

Mercury free	Yes
---------------------	-----

China RoHS Regulation	China RoHS declaration Pro-active China RoHS declaration (out of China RoHS legal scope)
------------------------------	---

RoHS exemption information Yes

Recommended replacement(s)