

Product datasheet

Specifications



Easergy P3 accessory VIO12ABSE 24-230V RTD module 12 RTD inputs RS485

REL52812

Main

Range of product	Easergy P3
Product or component type	Analog temperature module
Mounting support	Wall mounted 35 mm symmetrical DIN rail
[Us] rated supply voltage	24...230 V AC/DC

Complementary

Communication port support	Serial link
Number of inputs	12 RTD (temperature sensor)
Temperature probe type	Pt 100, Ni 100, Ni 120, Cu 10

Environment

Ambient air temperature for operation	0...55 °C
---------------------------------------	-----------


Packing Units

Unit Type of Package 1	PCE
Number of Units in Package 1	1
Package 1 Height	6.7 cm
Package 1 Width	9.8 cm
Package 1 Length	26.2 cm
Package 1 Weight	1.967 kg

Offer Sustainability

Sustainable offer status	Green Premium product
REACH Regulation	REACH Declaration
EU RoHS Directive	Pro-active compliance (Product out of EU RoHS legal scope) EU RoHS Declaration
Mercury free	Yes
China RoHS Regulation	China RoHS declaration
RoHS exemption information	Yes
Environmental Disclosure	Product Environmental Profile

Functional View



Recommended replacement(s)