

# Lembar data produk

Spesifikasi



## AvatarOn, USB charger + 2 socket-outlet, 2P, 16A, Wine Gold

E8342616USB\_WG

### Main

Product or component type	USB charger + socket-outlet
fixing mode	By screws

### Complementary

Outlet standard deviation	China
Outlet standard description	With earthing contact
Integrated connection type	2 socket-outlet 250 V AC 16 A 50/60 Hz 1 USB type A 5 V DC 2.1 A
Device mounting	Flush Surface
Device presentation	Complete product
Mounting support	Mounting box
Outlet poles configuration	2P with shutter
Colour tint	Wine gold
Surface finish	Glossy
Surface treatment	Untreated
Ambient air temperature for storage	-20...60 °C
Protection type	Current protection
Dielectric strength	2000 V
Ambient air temperature for operation	-5...35 °C
Service life in cycles	5000 cycles
Connections - terminals	Screw terminal
Number of terminals	3
Screwdriver shape	Phillips combined
Number of cables	2
Clamping connection capacity	1.5...4 mm <sup>2</sup> for rigid cable(s) 1.5...4 mm <sup>2</sup> for stranded cable(s) 1.5...4 mm <sup>2</sup> for flexible cable(s)
Material	PC (polycarbonate): grid plate PC (polycarbonate): surround
Wire stripping length	12 mm
Height	86 mm
Width	86 mm

<b>Depth</b>	38.2 mm
<b>Standards</b>	UL 498 UL 94 UL 1310

## Environment

<b>IP degree of protection</b>	IP20
--------------------------------	------

## Packing Units

<b>Unit Type of Package 1</b>	PCE
<b>Number of Units in Package 1</b>	1
<b>Package 1 Height</b>	3.89 cm
<b>Package 1 Width</b>	8.6 cm
<b>Package 1 Length</b>	8.6 cm
<b>Package 1 Weight</b>	135 g
<b>Unit Type of Package 2</b>	CAR
<b>Number of Units in Package 2</b>	8
<b>Package 2 Height</b>	9.5 cm
<b>Package 2 Width</b>	19 cm
<b>Package 2 Length</b>	19.5 cm
<b>Package 2 Weight</b>	1.08 kg
<b>Unit Type of Package 3</b>	PAL
<b>Number of Units in Package 3</b>	1536
<b>Package 3 Height</b>	95 cm
<b>Package 3 Width</b>	80 cm
<b>Package 3 Length</b>	120 cm
<b>Package 3 Weight</b>	229.36 kg

## Environmental Data

Schneider Electric bertujuan untuk mencapai status Net Zero pada tahun 2050 melalui kemitraan rantai pasokan, bahan baku yang lebih rendah, dan beredar melalui kampanye "Use Better, Use Longer, Use Again" untuk memperpanjang masa pakai dan daur ulang produk.

[Environmental Data dijelaskan >](#)

[Bagaimana kami menilai keberlanjutan produk >](#)

### Jejak lingkungan

[Environmental Disclosure](#)

[Product Environmental Profile](#)

## Use Better

### Bahan dan Pengemasan

Packaging made with recycled cardboard

Yes

Packaging without single use plastic

No

[EU RoHS Directive](#)

Compliant

REACH Regulation

[REACH Declaration](#)

## Use Again

### Repak dan remanufaktur

End of life manual availability

No need of specific recycling operations

Take-back

No